

DOCUMENT RESUME

ED 271 306

SE 046 660

AUTHOR Dillon, Olan W.
TITLE Invite Birds to Your Home. Conservation Plantings for the Southeast. Program Aid 1093.
SPONS AGENCY Soil Conservation Service (DOA), Washington, D.C.
PUB DATE Oct 81
NOTE 33p.; Contains some colored photographs which may not reproduce well. For related publications, see SE 046 657-659.
PUB TYPE Reference Materials - General (130)
EDRS PRICE MF01/PC02 Plus Postage.
DESCRIPTORS *Botany; *Conservation (Environment); *Conservation Education; Ecology; Environmental Education; Horticulture; *Landscaping; Natural Resources; *Ornamental Horticulture; *Ornithology; Physical Environment; Plant Identification; Science Education
IDENTIFIERS *Birds; United States (Southeast)

ABSTRACT

Descriptions of plants which serve as food and/or protection for birds of the southeast United States are presented in this publication. Explanations are given for each plant's ornamental value; time in bloom and in fruit; height; adaptations; and also the number of bird species that use it. Practical ideas are outlined for attracting birds to homes and gardens. These include suggestions related to water, screens and living fences, open areas, feeders, and winter protection. A model for creating a landscape design is offered and illustrated. A list of pamphlets on plants, soils, and conservation methods is also provided. (ML)

* Reproductions supplied by EDRS are the best that can be made *
* from the original document. *

ED271306

046660



Invite birds to your home

CONSERVATION PLANTINGS
FOR THE SOUTHEAST

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

- This document has been reproduced as received from the person or organization originating it.
- Minor changes have been made to improve reproduction quality.
- Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

"PERMISSION TO REPRODUCE THIS
MATERIAL HAS BEEN GRANTED BY

Dwane A. Bosworth

TO THE EDUCATIONAL RESOURCES
INFORMATION CENTER (ERIC) "

Program Aid 1093
Soil Conservation Service,
U.S. Department of Agriculture




Invite birds to your home

By Olan W. Dillon, Jr., biologist, SCS

Do you enjoy having birds and other wildlife around your home? Many people do. We feel rewarded by the beauty, songs, and interesting activities of birds. And birds eat many insects and weed seeds we find irritating and undesirable.

If you would like to make your property more attractive to wildlife in a way that will also beautify and improve it, here are some conservation practices that have proved helpful to others.



Meeting birds' needs

Here in the Southeast, we can see many kinds of birds in the course of a year. Thousands of birds pass through as migrants; others come to us from the Tropics to nest. Many that nest north of us winter in our area.

Wintering birds have somewhat different habitat needs than nesting birds. So a mixture of trees, shrubs, vines, and other plants can provide the variety of habitat needed for all seasons—places for birds to feed, sing, court, nest, rest,

or hide. Even small yards can be made attractive to birds by the right choice of plantings.

Perhaps you have had experience in attracting birds with manmade feeders, baths, and birdhouses. The addition of properly placed natural attractors, such as trees, shrubs, and other plants, can attract even more birds. Using a conservation landscape plan for your property allows you to bring out the beauty you want as well as to provide

the kinds of plantings that birds like.

Some of our most colorful fruits and berries are highly sought by birds. Shrubbery and hedges attractive to our eyes are also important cover or escape areas. Shade trees that beautify a yard also provide nesting sites. Sunflowers, corn, millets, and other annuals are interesting garden additions and provide food that birds eagerly take. We may find a small water pool desirable—so do birds.





Choosing plants attractive to birds

Birds like variety, both in sizes and kinds of plantings. To create varied habitat patterns, intermingle different sizes, shapes, and kinds of plants with open space. Variety in the plantings gives birds a choice of food—seeds, nuts, mast, fruits, berries, flower nectar, etc. Many birds catch the insects, worms, and spiders that are attracted to plants,

especially when feeding their young.

Unfortunately many common shade trees and landscape shrubs are of little food value for birds. But pecans, crab-apples, autumn-olive, Amur honeysuckle, nandina, pyracantha, fruiting mulberry, and red, willow, pin, and live oak produce good bird food. You can improve a yard that has only deciduous trees and shrubs by adding live oaks, junipers, cedars, or other evergreens that provide winter shelter.



Creating a landscape design

There are many kinds and combinations of plants to consider in creating a conservation landscape design: hardwoods, conifers, vines, shrubs, grasses, flowers, and even weeds. In a small yard,

you may be limited to single plantings of several species. With larger grounds, you can plan for hedges, clumps, food-plot rows, and massed plantings. Clearings within wooded areas are especially attractive to birds. This landscape design, by John Frey, Lexington, Mass., shows one way to vary plantings on a city or suburban lot of about one-

third acre. The choice of species, arrangement, and placing on any area depends on the space available.

Landscape so that you can see that bird-attracting features from a convenient window, patio, or terrace. With careful planning, you can have a succession of flowers and fruits available through much of the year.

Foods Preferred by Familiar Birds

Plants for birds, beauty, and protection

Plants described here are adapted to appropriate habitats in the Southeast from the Carolinas to Florida and west to eastern Oklahoma and Texas. Plants illustrated are not to scale.

The table shows some of the plants preferred as sources of food by many of our Southeast birds. Groups of birds usually have similar plant food habits, although individual bird preferences and extent of use may vary.

Preference ratings for the plants were based on data from food-habit studies, but actual plant use by birds varies by season and situation.

PLANTS	BIRDS																
	Mourning and ground doves	Woodpeckers	Blue and scrub jays	Chickadees, titmice, and nuthatches	Mockingbirds	Catbirds and brown thrashers	Robins	Bluebirds and thrushes	Cedar waxwings	Oroles and tanagers	Cardinals	Painted and indigo buntings	Evening grosbeaks	Purple finches	Goldfinches and siskins	Rufous-sided towhees	Scallows and juncos
Autumn-olive				u	●	●	●	●	●		●			○			○
Beautyberries					●	●	●	○			○						
Cherries		●	●		●	●	●	●	●	●	●		●	●		○	
Crabapples		●	○	u	●	●	●		●	○	○		●	●		○	
Dogwoods		●			●	●	●	●	●	○	●		●	○			○
Elderberries		●	●	u	●	●	●	●	●	●	●	●	○			●	●
Hawthorns		u	○		○	u	○		●								
Hollies	u	○	u		●	●	●	●	●		○					○	u
Honeysuckles		u			●	●	●	●	●				●	●	○		u
Millets	●	○	u	u							●	●	u	●	●	●	●
Oaks		●	●	●	u	●							○		u	●	u
Plums		○	○		●	●	●			○	○					○	
Pokeberries	●	○			●	●	●	●	●	●	●						○
Pyracantha		u	○		●	●	○	○	●		○			○			○
Sumacs		○	○	○	●	●	●	●	○	u	○		●	○			○
Sunflowers	●	○	●	●							●	○	●	●	●	●	●

Insects around plantings attract vireos, warblers, flycatchers, martins, and swallows. Grasses and weeds attract many seed-eating birds. Sugar-water feeders in conjunction with flowers can attract hummingbirds.
Other bird-attracting shrubs and trees that many nurseries stock are viburnums, privets, ornamental evergreens, elms, and European white birch. Virginia creepers, grapes, roses, blackberries, and blueberries attract many birds but require special gardening attention.

● Choice ● Good ○ Fair u Used, amount not determined

7

Plants for birds, beauty, and protection



CRABAPPLE

Malus spp.

Bird use: 24 species

Ornamental values: Many kinds; deciduous trees, 10-30 ft. tall; white to pink flowers; red, purple, orange, or yellow fruit vary in size

Adaptations: Wide range of well-drained soils; sun

In bloom: March-April

In fruit: September-March

Sources: Commercial nurseries, budding, grafting

8

SAWTOOTH OAK

Quercus acutissima

Bird use of all oaks: 37 species

Ornamental values: Rapidly growing, deciduous tree, 40-70 ft. tall; suited to fields, fence rows, and big yards; fall foliage brown to dark red; acorns resistant to insects and disease; nuts produced on 5- to 10-year-old trees

Adaptations: Well-drained soils; tolerates intermittent flooding in dormant season only

In bloom: March-May

In fruit: Fall, 40-80 lb. acorns per tree

Sources: Commercial nurseries, some state nurseries, acorns



SUMAC

Rhus spp.

Staghorn sumac *illus.*

Bird use: 36 species

Ornamental values: Several kinds; deciduous shrubs, 3-12 ft. high; pale to deep green leaves, turning red in fall; greenish flowers in spikes; fruit clustered, deep red at maturity

Adaptations: Wide range of well-drained soils; sun

In bloom: April-May

In seed: September-February

Sources: Commercial nurseries, wilding transplants, root cuttings



PYRACANTHA (FIRETHORN)

Pyracantha spp.

Bird use: 16 species



Ornamental values: Several kinds; evergreen shrubs, 6–12 ft. high; glossy green leaves; fragrant white flowers; striking red to orange fruit

Adaptations: Wide range of moderately well drained to well drained soils; sun to partial shade

In bloom: March-April

In fruit: September-March (most frequent bird use in February-March)

Sources: Commercial nurseries



WILD PLUM

Prunus americana

Bird use: 16 species

Ornamental values: Deciduous shrub, 6–15 ft. high, to small tree, 20–30 ft.; suited to fields, fence rows, and big yards; spreads by suckers to form clumps; fragrant pink to white flowers; persistent red or yellow fruit

Adaptations: Moderately well drained to well drained soils; sun

In bloom: March-May

In fruit: June-August

Sources: Commercial nurseries, wilding transplants

HAWTHORN

Crataegus spp.

Bird use: 19 species


Ornamental values: Many kinds; deciduous trees, 10–30 ft. tall; pale-green leaves; abundant clustered, white flowers; persistent orange to red fruit

Adaptations: Deep, moderately well drained to well drained soils; sun to partial shade

In bloom: April-May

In fruit: September-March

Sources: Commercial nurseries, wilding transplants





HOLLY

Ilex spp.

Yaupon holly *Ilex*.

Bird use: 28 species

Ornamental values: Many kinds; mostly evergreen; upright rounded shrubs, 5-15 ft. high, to trees, 30-50 ft.; dark-green or variegated leaves, small whitish flowers; bright-red, orange, yellow, or black fruit (persistent)

Adaptations: Moderately well drained to well drained soils; sun to shade

In bloom: March-May

In fruit: September-April

Sources: Commercial nurseries, wilding transplants, cuttings

ELDERBERRY

Sambucus spp.

Bird use: 51 species

Ornamental values: Several kinds; deciduous shrubs, 5-10 ft. high; flat, whitish flower clusters; red to purple-black fruit

Adaptations: Moderately well drained to well drained soils; sun to partial shade

In bloom: March-July

In fruit: July-December

Sources: Commercial nurseries, wilding transplants



AMERICAN BEAUTYBERRY

Callicarpa americana

Bird use: 12 species

Ornamental values: Deciduous shrub, 3-6 ft. high; inconspicuous bluish or pink flowers; bright purple fruit in rings around stem

Adaptations: Deep, moderately well drained to well drained soils; sun to partial shade

In bloom: March-April

In fruit: August-January

Sources: Commercial nurseries, wilding transplants, cuttings from 1-year-old wood

FLOWERING DOGWOOD

Cornus florida

Bird use of all dogwoods: 45 species
Ornamental values: Various forms: shrub 5–8 ft. high, to small tree, 10–40 ft.; deciduous leaves, red to bronze in fall; showy, white to pink bracts surrounding small, inconspicuous, bunched red fruit
Adaptations: Moist to well-drained soils; sun to shade (grows under larger trees)
In bloom: February (deep South) to late April (Carolinas)
In fruit: August
Sources: Commercial and state nurseries, wilding transplants, cuttings



SUNFLOWER


Helianthus spp.

Bird use: 46 species
Ornamental values: Several kinds; annual or perennial plants, 4–8 ft. high; large, showy yellow flowers; size of seed-filled disks varies with species; needs careful placement for good landscaping
Adaptations: Wide range of soil conditions; sun
In bloom: May-August
Ripe seed: August-October
Sources: Commercial seed stores, harvested wild seed

NANDINA

Nandina domestica

Bird use: 12 species
Ornamental values: Shrub, 8–15 ft. high; dark-green leaves turning purple and scarlet in fall; leaves persist about 3 years; large, clustered flowers; prominent scarlet-red fruit
Adaptations: Wide range of moderately well drained to well drained soils; sun to partial shade
In bloom: March-June
In fruit: October-February
Sources: Commercial nurseries



AMUR HONEYSUCKLE

Lonicera maackii

Bird use: 19 species


Ornamental values: Fast-growing, dense, deciduous shrub, 8–15 ft. high; persistent, leathery leaves; abundant small, white, fragrant flowers; red clustered fruit, raisinlike when dried, available all winter

Adaptations: Does best on deep, well-drained soils

In bloom: March-June

In fruit: September-October

Sources: Commercial nurseries, wilding transplants



AUTUMN-OLIVE

Elaeagnus umbellata

Bird use: 25 species

Ornamental values: Large, spreading deciduous shrub, 8–18 ft. high; gray-green leaves; abundant small, fragrant, yellow flowers; abundant scarlet fruit

Adaptations: Moderately well drained to

well drained, upland soils, sun to partial shade

In bloom: March-April

In fruit: July-October (holds fruit into winter)

Sources: Commercial nurseries

COMMON FIG

Ficus carica

Bird use: 25 species

Ornamental values: Large shrub to small tree, 12–30 ft.; large, lobed, dark-green deciduous leaves; fleshy, edible, purplish “fruit” is a hollow receptacle housing minute flowers

Adaptations: Wide range of fertile soils; nematodes may be a problem on sandy soils

In bloom: May-June

In fruit: July-October

Sources: Commercial nurseries

DOVE PROSO MILLET

Panicum miliaceum

Bird use: 30 species; all millets: 60 species

Ornamental values: Fast-maturing, summer annual grass; seed can be harvested for winter bird feeding

Adaptations: Moderately well drained to well drained fertile soils; sun

Planting dates: May-June

In seed: July-September

Sources: Commercial seed stores

CHERRY

Prunus spp.

Bird use: 47 species

Ornamental values: Many kinds; deciduous shrubs, 5–15 ft. high, to trees, 20–75 ft.; small fine-toothed leaves; showy white flower clusters or drooping spikes; small bright-red to black fruit

Adaptations: Moderately well drained to well drained soils; sun to partial shade

In bloom: March-April

In fruit: Variable with species, June-October

Sources: Commercial nurseries, wilding transplants

MAYPOP PASSIONFLOWER

Passiflora incarnata

Bird use: 10 species

Ornamental values: Vine climbing with tendrils to 30 ft. long; unusual blue flower; resistant to pests

Adaptations: Wide range of fertile soils

In bloom: June-September

In fruit: September-December

Sources: Commercial nurseries, seed from wild plants

THORNY ELAEAGNUS

Elaeagnus pungens

Bird use: 9 species

Ornamental values: Robust, evergreen shrub, 6–11 ft. high; narrow leathery, green leaves silvery below; tiny, fragrant, silvery white flowers; light-red fruit speckled with silver

Adaptations: Moderately well drained to well drained soils; sun to partial shade

In bloom: October-November

In fruit: March-April

Sources: Commercial nurseries

REDCEDAR

Juniperus virginiana

Bird use: 22 species

Ornamental values: Coniferous tree (many varieties), 10–50 ft. tall; dense, green to blue-green needles; small dusty-blue, berrylike, fleshy cones


Adaptations: Moderately well drained to well drained soils

In bloom: March-April

In fruit: September-December

Sources: Commercial nurseries, wilding transplants

*Bobwhites, right;
far right, purple martins,
cardinal, robins.*



Ways of attracting birds

Water.—When water for birds is scarce, as it often is in residential areas, birdbaths help draw a variety of birds. A small pool with water dripping on a rock at the edge is especially attractive. Rocks or an old stump near the water are also attractive preening sites after bathing. On a large lot in the suburbs, a pond landscaped with conifers, clumps of shrubs, or a hedge is useful for those birds that need nesting and roosting areas and escape cover close to water.

Screens and Living Fences.—Rows of trees and shrubs can screen off an unpleasant view while giving privacy and lowering noise levels. They are also attractive to birds year after year. Live oak, conifers, autumn-olive, thorny elaeagnus, dogwood, redbud, or a combination of these make good screens.

Hedges or rows of Osage orange, trifoliolate orange, pyracantha, dogwood, and honeysuckle (either bush or Japanese) can replace wire fences between areas, divide up fields, or protect a house area. Brown thrashers, cardinals, mockingbirds, and towhees find "living fences" ideal homes.

Open Areas.—Bobwhites, meadowlarks, and sparrows are some of the

birds seen around open lawns and fields with few trees or shrubs. Native grasses help landscape open areas that are not mowed. Such plants protect the soil as well as produce food and cover for these birds.

Feeders.—On a city or suburban lot, it is difficult to produce natural food that will last all winter. Supplemental feeding can help fill the gaps. Seed eaters, such as sparrows, cardinals, grosbeaks, finches, and buntings, will eat almost any kind of bird seed. You can use cracked corn, millet, and sunflower seeds, or you can buy bags of commercial bird seed. Fruiteaters, such as mockingbirds, catbirds, robins, jays, and orioles, like raisins and chopped fruit, especially apples. Suet is favored by woodpeckers, chickadees, and nuthatches, among others. This high-energy bird food is especially desired in cold weather because it helps the birds resist chilling.

Seed can be spread on a tray or put in a box feeder that protects it from the weather. Fruiteaters prefer a flat surface such as a tray. Suet is best put into a wire or plastic holder. Rendered suet can be stuffed into holes drilled in a tree trunk or limb or into a piece of board attached to a tree. The board should have a rough surface or be covered with wire so the birds can hold on while feeding.

Winter Protection.—Windbreaks and clumps of such plants as forsythia, cedar, junipers (particularly Pfitzer), spruce, pines, thorny elaeagnus, and Amur honeysuckle provide shelter and food during periods of severe weather. Although ice and snow storms in the South are of short duration, the difference between survival or death may depend on plantings that provide both food and cover.

The basic resources . . . soil and water

You should consider soil, slope, drainage, and exposure when landscaping for birds and beautifying your home. Houses, sidewalks, driveways, and streets increase runoff, and often the natural water flow pattern is changed. Careful landscape planning can handle the extra water and help check soil erosion. Planting on the contour adds to the natural beauty and helps in controlling erosion and water runoff.

Trees, shrubs, and other woody plants used for landscaping grow best on well-drained, fairly fertile, loamy soils not particularly suited to flower beds and vegetable gardens. Soils should be at least 18 inches deep. In the South, a neutral soil is best for most plantings.



Harmonizing with manmade structures

A good landscape plan blends plantings with your house, walks, rock walls, and driveways. Place permanent plants where they will not interfere with foundations, sewers, or septic tank absorption fields. Use a variety of species, including annuals, to fill in along walls.

For assistance

You can get further information on plants, soils, and conservation methods from the Soil Conservation Service. Inquire at the office of your local soil and water conservation district. As part of its assistance to conservation districts, SCS helps people apply many conservation practices that increase wildlife. County agents, commercial nurserymen, landscape architects, and bird societies can also help.

U.S. Department of Agriculture pamphlets that may be helpful are:

- Autumn-Olive for Wildlife and Other Conservation Uses (L-458)
- Making Land Produce Useful Wildlife (FB-2035)
- More Wildlife Through Soil and Water Conservation (AIB-175)
- Soil Conservation at Home (AIB-244)
- Wild Ducks on Farmland in the South (FB-2218)
- Windbreaks for Conservation (AIB-339)